


PS 630



DIAMETER		CONSTRUCTION	APPROX. WEIGHT		MINIMUM BREAKING LOAD	
Inches	mm		lb/ft	kg/m	Tons	kN
1/4	6	6x36 RRL EIPS IWRC	0.12	0.18	3.4	30
5/16	8	6x36 RRL EIPS IWRC	0.18	0.27	5.27	47
3/8	10	6x36 RRL EIPS IWRC	0.26	0.39	7.55	67
7/16	11	6x36 RRL EIPS IWRC	0.35	0.52	10.2	91
1/2	13	6x36 RRL EIPS IWRC	0.46	0.68	13.3	118
9/16	14	6x36 RRL EIPS IWRC	0.59	0.88	16.8	150
5/8	16	6x36 RRL EIPS IWRC	0.72	1.07	20.6	183
3/4	19	6x36 RRL EIPS IWRC	1.04	1.55	29.4	262
7/8	22	6x36 RRL EIPS IWRC	1.42	2.11	39.8	354
1	25	6x36 RRL EIPS IWRC	1.85	2.75	51.7	460
1 1/8	29	6x36 RRL EIPS IWRC	2.34	3.48	65.0	579
1 1/4	32	6x36 RRL EIPS IWRC	2.89	4.30	79.9	711
1 3/8	35	6x36 RRL EIPS IWRC	3.50	5.21	96.0	854
1 1/2	38	6x36 RRL EIPS IWRC	4.16	6.19	114	1,015
1 5/8	41	6x36 RRL EIPS IWRC	4.88	7.26	132	1,175
1 3/4	44	6x36 RRL EIPS IWRC	5.67	8.44	153	1,362
1 7/8	48	6x36 RRL EIPS IWRC	6.50	9.67	174	1,549
2	51	6x36 RRL EIPS IWRC	7.39	11.00	198	1,762
2 1/8	54	6x36 RRL EIPS IWRC	8.35	12.43	221	1,967
2 1/4	57	6x36 RRL EIPS IWRC	9.36	13.93	247	2,198
2 3/8	60	6x36 RRL EIPS IWRC	10.60	15.77	274	2,439
2 1/2	64	6x36 RRL EIPS IWRC	11.60	17.26	302	2,688
2 3/4	70	6x36 RRL EIPS IWRC	14.00	20.83	361	3,213
3	76	6x36 RRL EIPS IWRC	16.60	24.70	425	3,782
3 1/4	83	6x36 RRL EIPS IWRC	19.50	29.02	492	4,379
3 1/2	89	6x36 RRL EIPS IWRC	22.70	33.78	564	5,019